

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	29	(703/27.ccls.) and virtual adj machine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:21
S2	25	("4747040" "4787031" "4792895" "4926322" "4974159" "5134580" "5167023" "5255379" "5307504" "5440710" "5488716" "5522075" "5560013" "5652869" "5652872" "5721922" "5761477" "5832205").PN. OR ("6397242").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/08 15:20
S3	2	(virtual adj machine adj monitor) and native same (physical adj mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 09:27
S4	2	(virtual adj machine adj monitor) and native same (real adj mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 09:28
S5	0	(virtual adj machine adj manager) and native same (real adj mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 09:28
S6	0	(virtual adj machine adj manager) and native same (physical adj mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 09:28
S7	1	(vmm) and native same (physical adj mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 10:21
S8	16	"5909567".pn. "5638525".pn. "5925123".pn. "6308255".pn. "5758115".pn. "5781750".pn. "5790824".pn. "5889973".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 10:21
S9	1	(boot same sandbox) and (virtual adj machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 11:11

S10	73	(boot same secur\$4) and (virtual adj machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 11:11
S11	27	(boot same secur\$4) and (virtual adj machine) and (encrypt\$6 same signature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 12:55
S12	304	(virtual adj machine) and (encrypt\$6 same signature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 12:56
S13	180	(virtual adj machine) and (encrypt\$6 same hash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 12:56
S14	8	(virtual adj machine adj monitor) and (encrypt\$6 same hash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 12:56
S15	7	(virtual adj machine adj monitor) and (encrypt\$6 same signature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 13:05
S16	42	(virtual adj machine adj monitor) and security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 13:20
S17	7	S16 and (secure same storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 13:30
S18	2	virtual adj machine and attestation adj log	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 13:59
S19	1790	virtual adj machine and log	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 13:59

S20	43	virtual adj machine and driver same log	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 14:05
S21	18	virtual adj machine and driver same log and encrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 14:02
S22	25	S20 not S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 14:31
S23	1	bios same (virtual adj machine) and (extensible adj firmware adj architecture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 14:32
S24	57	bios same (virtual adj machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 14:33
S25	6	legacy same bios same (virtual adj machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 14:36
S26	12	legacy and bios same (virtual adj machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 14:36
S27	6	S26 not S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 14:38
S28	3	bios same sandbox and virtual adj machine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/09 14:39
S29	4	sandbox adj mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 15:39

S30	5	sandbox same bios	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 15:45
S31	3	driver same registry and virtual adj machine adj monitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:04
S32	31	driver same validation and registry and virtual same machine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:04
S33	0	vm same driver same validation and registry and virtual same machine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:04
S34	0	vmm same driver same validation and registry and virtual same machine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:04
S35	14	vmm same driver and registry and virtual same machine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/09 16:04
S37	52	(secure adj computing) and (virtual adj machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 09:31
S38	5255	(713/200.ccls. 713/201.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 09:40
S39	245	S38 and virtual adj machine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 09:40
S40	38	S39 and bios	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 09:51

S41	0	(713/200.ccls. and 713/2.ccls. and "718".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 09:52
S42	14	(713/2.ccls. and "718".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 09:58
S43	21	(713/200.ccls. and "718".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 09:59
S44	2	(713/200.ccls. and "718".clas.) and vm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 10:33
S45	26	spyrus.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 10:24
S46	1	fortezza.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 10:24
S47	0	spyrus.as. and virtual adj machine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 10:24
S48	0	fortezza.as. and virtual adj machine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 10:24
S49	0	spyrus.as. and (virtual adj machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 10:25
S50	0	fortezza.as. and (virtual adj machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 10:25

S51	0	fortezza.as. and (virtual same machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 10:25
S52	0	spyurus.as. and (virtual same machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 10:25
S53	0	spyurus.as. and (vmm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 10:25
S54	0	fortezza.as. and (vmm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 10:25
S55	14	(702/186.ccls.) and virtual adj machine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 10:35
S56	3	(702/186.ccls.) and vmm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 10:37
S57	59	"380".clas. and virtual adj machine	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 12:29
S58	1	"380".clas. and vmm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 12:41
S59	10	vmm and platform same emulation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 12:42
S60	31	vmm and (platform hardware) same emulation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 14:06

S62	1	operations.ti. and trusted.ti. and internal.ti. and networks.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 15:34
S63	4	meushaw.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/10 15:34
S64	12	attestation same log	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 06:30
S65	28	703/1.ccls. and hvac	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 13:14
S66	1	703/1.ccls. and hvac and (pressure adj drop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 13:15
S67	0	703/1.ccls. and hvac and (nozzle adj diameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 13:15
S68	0	703/1.ccls. and (nozzle adj diameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 13:15
S69	14	703/1.ccls. and nozzle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 13:21
S70	2	"5557537".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 13:22
S71	2	"6131077".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 13:24

S72	36	vmm same firm\$ware	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 17:07
S73	1	S72 and (legacy adj hardware)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 17:07
S74	6	S72 and (legacy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 17:08
S75	27	S72 and emulat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 17:09
S76	22	S72 and (emulat\$5 same hardware)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 17:09
S77	37	(vmm same firmware)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 13:18
S78	55	vmm same emulat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 13:19
S79	22	S78 and @ad<="20010927"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 13:28
S80	12	"2004004880" "6397242".pn. "20020169987" "5522075".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 13:29
S81	8	"20040044880" "6397242".pn. "20020169987" "5522075".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 13:58

S82	0	S81 and devine.in. and firmware	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 13:36
S83	2	S81 and firmware	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 13:36
S84	5	09/151175	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 15:28
S85	7	devine.in. and firmware	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 14:00
S86	0	devine.in. and firmware and vmm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 14:00
S87	2	vmm same (extensible adj firmware)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 15:28
S88	163	(extensible adj firmware)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 15:28
S89	6	(extensible adj firmware) and vmm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 15:28
S90	2	(extensible adj firmware) same vm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 15:30
S91	152	(extensible adj firmware) same (efi)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 15:31

S92	6	S91 and vmm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 15:30
S93	3	S91 and vm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 15:31
S94	0	(hypervisor and (efi))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 15:31
S95	0	(hypervisor and (extensible same firmware))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 15:31
S96	0	(hypervisor and (extensible same firmware))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/14 15:31
S97	17	S91 and (virtual adj machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:22
S98	2	"20050055221"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:22
S99	118	intel and (extensible adj firmware)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 09:21
S10 0	11	S99 and (virtual adj machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 10:24
S10 1	1	09/966015	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 10:24

S10 2	31	(US-20020083110-\$ or US-20020143842-\$ or US-20020169987-\$ or US-20020184520-\$ or US-20030037089-\$ or US-20030061497-\$ or US-20030097581-\$ or US-20030120856-\$ or US-20040030912-\$ or US-20040044880-\$ or US-20040103299-\$).did. or (US-4787031-\$ or US-5128881-\$ or US-5276876-\$ or US-5452462-\$ or US-5522075-\$ or US-5721922-\$ or US-5781755-\$ or US-6199181-\$ or US-6321323-\$ or US-6321337-\$ or US-6397242-\$ or US-6496847-\$ or US-6609199-\$ or US-6651037-\$ or US-6654710-\$ or US-6760441-\$ or US-6772103-\$ or US-6779179-\$ or US-6795905-\$ or US-6802054-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/06/15 12:37
S10 3	2	S102 and (authenticating)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 13:43
S10 4	136	(vmm) and (security authentication)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 13:44
S10 5	36	(vmm) same (security authentication)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 13:44
S10 6	11	(vmm) same (security authentication) same (firmware driver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 13:44



Web Images Groups News Froogle Local **more »**

authenticating firmware

Search

Advanced Search
Preferences

☐ Search the Web ☒ Search English and German pages

Web Results 1 - 10 of about 23,000 English and German pages for **authenticating firmware**. (0.28 seconds)

PeerSec Networks - Weblog Category Embedded Security

Authenticating firmware upload signatures with a trusted certificate would prevent the issue of malicious **firmware** updates. Secure, remote update of device ...
www.peersec.com/archives/cat_embedded_security.html - 17k - [Cached](#) - [Similar pages](#)

EP816970 Sun european software patent - Method and apparatus for ...

EP816970 Sun microsystems inc (US): Method and apparatus for **firmware** ...
authenticating the data hash in an authentication section to authorize execution ...
gauss.ffii.org/PatentView/EP816970 - 43k - [Cached](#) - [Similar pages](#)

Chapter 8 - Routine Procedures

Step 1 To determine the version of **firmware** that your client adapter is ...
as the access points to which your client adapter will be **authenticating**. ...
www.cisco.com/univercd/cc/td/doc/product/wireless/airo_350/350cards/windows/incfg/win_ch9.htm - 92k - [Cached](#) - [Similar pages](#)

Release Notes for Cisco Aironet PC-Cardbus Client Adapter (CB20A ...

To install **firmware** version 5.01.02, you must have a Cisco Aironet 5-GHz ...
as the access points to which your client adapter will be **authenticating**. ...
www.cisco.com/en/US/products/hw/wireless/ps4555/prod_release_note09186a00800fb9e5.html - 47k - [Cached](#) - [Similar pages](#)

[PDF] Microsoft PowerPoint - Track C Wed 130 House.ppt

File Format: PDF/Adobe Acrobat - [View as HTML](#)
Authenticating Firmware*. 2. CAM. 3. Biometric: Iris, Thumb. 4. 2.8 Ghz Processor.
5. Minimum 1GB of RAM. 6. 100GB Hard drive: Loaded ...
www.acsac.org/2004/case/wed-c-1330-House.pdf - [Similar pages](#)

LinksysInfo - The #1 In Linksys Support and WRT54G Firmware Forums ...

As TinyPEAP stands now, it is basically a snapshot of a **firmware** with a PEAP router
... The connection was solid and showed that it was **authenticating** using ...
www.linksysinfo.org/modules.php?name=Forums&file=viewtopic&t=2282 - 75k - [Cached](#) - [Similar pages](#)

LinksysInfo - The #1 In Linksys Support and WRT54G Firmware

The installation of TinyPEAP installs Sveasoft's Satori **firmware** on your WRT54G or
... The connection was solid and showed that it was **authenticating** using ...
www.linksysinfo.org/modules.php?name=Forums&file=viewtopic&p=9004 - 75k - [Cached](#) - [Similar pages](#)
[[More results from www.linksysinfo.org](#)]

Corriente :: KB: Problems With AirPort Extreme Firmware v5.5

Update: The bug also affects AirPort Extreme **firmware** version 5.5.1 ... The problem
also affects the AEBS when **authenticating** users against RADIUS servers ...
www.corriente.net/support/kb/kb.html?entry=9 - 9k - [Cached](#) - [Similar pages](#)

[PDF] Release Notes for Cisco Aironet Client Adapter Firmware, Version ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Firmware release 4.25.23 must be used with ACU version 5.01.001 or greater and ... authenticating. Note. If your wireless network uses EAP-TLS or EAP-MD5 ...
www.nus.edu.sg/winzone/drivers/PC350v42523ReleaseNotes.pdf - [Similar pages](#)

Curriculum Vitae ...

I also wrote tools such as an RSA file-signing and verification tool for authenticating firmware upgrades. I produced numerous system architecture diagrams ...
www.anyware.co.uk/ignition/marc/cv_plaintext.wmt - 31k - Jun 13, 2005 - [Cached](#) - [Similar pages](#)

Google

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Free! Google Desktop Search: Search your own computer. [Download now.](#)

Find:  emails -  files -  chats -  web history -  media -  PDF

authenticating firmware

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google